

AMOS

INDUSTRIE

HYDRO 40

HYDRO 40



Authorised Dealership
1300 360 353
www.vinvicta.com
info@invicta.com

Product Description

Type	Seated with seat rotating 180 °
Width	68 / 80 / 90
Length	210
Frame	Bogies
Chain width	200 /230
Gross weight	950
Yanmar Diesel motor water cooled	38 cv - 28 kW
Low emission	TIER EU STAGE V with particular filter
Traction	Hydraulic
Oil flow	18 litres
Oil flow of second pump (for tools)	42 liters - minutes to 3000 turns
Commands	Niko Joystick hydraulic
Speed (Km/h)	0 to 8 km/h
Electrical distributors	3 DE + 1 DE floating position
Mounting	3 point lifting by hydraulic cylinder
Fuel tank capacity	15
Board	electric board
Engine hood	removable
Roll bar	yes

process industriel / process agro-alimentaire / process environnemental / process vinicole

HYDRO 40

HYDRO 40

Type

REFERENCE	TYPE
4068	HYDRO 40 - 68 CM - diesel – Stand up driving including extra hydraulic distributor (Ref #42801 A)
4080	HYDRO 40 - 80 CM - diesel – with seat driving including extra hydraulic distributor (Ref #42801 A)
4090	HYDRO 40 - 90 CM - diesel – with seat driving including extra hydraulic distributor (Ref #42801 A)
4068/FS	HYDRO 40 - 68 CM - diesel – with seat driving and predisposition wiring for remote radio kit adaptation (ref.3840W)
4080/FS	HYDRO 40 - 80 CM - diesel – with seat driving and predisposition wiring for remote radio kit adaptation (ref.3840W)
4090/FS	HYDRO 40 - 90 CM - diesel – with seat driving and predisposition wiring for remote radio kit adaptation (ref.3840W)

Options

41100	Automatic winch for HY 40 (only for 80 and 90 cm)
131336498	Camera kit for remote control (1 screen + 2 cameras)
3840RC	Radio remote controlled equipment kit with original predisposition wiring for radio remote control including: 1 receiver, 1 transmitter & independent control box

TRANSPORT ACCESSORIES

131363197 Tray for HY40

CULTIVATION TOOLS

02474-2 Boisselet tool bar (no tilting) and crumble roll on 3 point linkage

02474-3 Boisselet tool bar (no tilting) on 3 point

02474-5 Boisselet tilting frame + tool bar + tilt (no ram) on 3 point for HY40 and crumble roll

02465 Extra tool bar for Boisselet tilting frame

ACCESSORIES & EQUIPMENTS

250200 Five tooth cultivation device (tool bar excluded)

250100 Five tooth adjustable with parallelogram (tool bar excluded)

07786-3 Tilting ram Kit + hydraulic hoses (need 1 double acting distributor) *(need 1 DE)– 0077861NIKO*

07786-4 With adjustable hydraulic ram kit + hydraulic hoses (need 1 double acting distributor) *(need 1 DE) – 007789NIKO*

007385 Discount if not supply crumble roll

0006602-3 Supply wheels

9801/9802 Boisselet mechanical undervine 300mm – To be mounted on Tool bar 0006602-3 (excluded)

07303-1 Boisselet hydraulic undervine 300mm Cutmatic – To be mounted on Tool bar (excluded)

07501HY TAP300 Auger for HY38 including frame adaptation (trolley on option REF#.) (Hole digger)

09061 Rotary spade cultivator type BE54 + HY38 adaptation



HYDRO 40

HYDRO 40

MULCHING - MOWING

41705J/RPO KM50 Mulcher 50cm – total width 60cm

41705i/RPO KM60 Mulcher 60cm – total width 70cm

41705H/RPO KM70 Mulcher 70cm – total width 80cm

41705B/RPO KM85 Mulcher 85cm – total width 95cm

41705E/RPO KM100 Mulcher 100cm – total width 110cm

02462-1 Rear frame HYDRO 40

41808A Rotary harrow 60cm hydraulic driven

41808B Rotary harrow 75cm hydraulic driven

41809 Rotary harrow 110cm hydraulic driven

07391 Hydraulic mower from 50 to 80cm – To be mounted on tool bar 02462

TREATMENT

**V02/1M
BALDEMONT** Weed control module 1 m - 2 jets with removable protective brushes (requires either option 42596A or 42705D disengageable turbine version)

TS SPAYER

42803ATS9 TS9 MN – tank capacity 100L – Turbine galvanized steel – for 65 until 140cm rows

41810A TS9 MN – tank capacity 100L – Turbine galvanized steel – for 75 until 180cm rows

CROP THINNING

01300400 Trimming Collard profilmatic 2200 hydraulic driven – Including trolley and frame adaptation for HY38 – 2 half rows - height cut 1m to 1.10m - (option: set of 8 stainless steel blades and hydraulic gauge kit)